

*Annual Drinking Water Quality Report for 2018*  
*System Name: Village of Middleport*  
*System Address 24: Main St., Middleport, NY 14105*  
*Public Water Supply ID #NY3100566*

## **INTRODUCTION**

To comply with State regulations, the Village of Middleport will be annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your tap water met all State drinking water health standards. We are proud to report that in 2018 our system did not violate a maximum contaminant level or any other water quality standard. In 2018, we conducted tests for over 100 contaminants. Less than a quarter of the tested contaminants were detected. The NCWD is required to test for lead and copper every three (3) years. In 2017, 50 sites throughout the NCWD were tested for lead and copper. The analysis showed concentrations below action level for all 50 copper samples. The 90<sup>th</sup> percentile level of lead detected, 6.6 µg/L, was below the regulatory limit of 15.0 µg/L. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or concerning your drinking water, please contact Village Coordinator Bryan Bobbitt at (716) 735-3373, ext. 301. We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled monthly Board of Trustees meetings. The meetings are held the third Monday of the month at 7:00 p.m. at the Village Hall.

## **WHERE DOES OUR WATER COME FROM?**

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Our water source is located in the west branch of the Niagara River. The treatment plant uses pre-chlorination, coagulation, rapid mix, flocculation, sedimentation, and filtration processes to ensure the quality of the water. The NCWD also uses chlorination for disinfection. The water treatment plant has been approved as a direct filtration plant; however, water is treated using conventional filtration including all of the processes described above. In addition, fluoride and a corrosion inhibitor are added to the potable water prior to distribution.

The New York State Department of Health recently completed a draft Source Water Assessment of the **raw water source** under the State's Source Water Assessment Program (SWAP). The purpose of this program is to compile, organize, and evaluate information regarding possible and actual threats to the quality of public water supply (PWS) sources. It is important to note that source water assessment reports estimate the **potential** for untreated drinking water sources to be impacted by contamination. These reports do not address the safety or quality of treated finished potable tap water. The Great Lakes' watershed is exceptionally large and too big for a detailed evaluation in the SWAP. General drinking water concerns for public water supplies which use these sources include: storm generated turbidity, wastewater, toxic sediments, shipping related spills, and problems associated with exotic species (e.g. zebra mussels – intake clogging and taste and odor problems). The SWAP is based on the analysis of the contaminant inventory compiled for the drainage area deemed most likely to impact drinking water quality at this public water supply raw water intake. This assessment found an elevated susceptibility to contamination for this source of drinking water. The amount of agricultural lands in the assessment area results in elevated potential for protozoa and pesticides contamination. There is also a high density of sanitary wastewater discharges, which results in elevated susceptibility for numerous contaminant categories. Non-sanitary wastewater could also impact source water quality. There is also noteworthy contamination susceptibility associated with other discrete contaminant sources, and these facility types include: Mines and Resources Conservation

and Recovery Act (RCRA) facilities. If you have any questions about the States Source Water Assessment Program, please contact Ronald Gwozdek, Principal Public Health Engineer, Niagara County Department of Health at (716) 439-7452.

## FACTS AND FIGURES

The Village of Middleport’s water system serves 1,840 people through more than 650 service connections. The amount of water delivered to customers was 36,828,108 million gallons. The total water purchased in 2018 was 52,022,020 million gallons. This leaves an unaccounted for a total of 15,193,912 gallons. This water was used to flush mains, fight fires, and leakage. Until the November 2018 billing, water charges were \$31.98 for zero to 5,000 gallons used. This rate was the same for the sewer charges. The charge for 6,000 to 75,000 gallons was an additional \$4.95/thousand for both water and sewer rates. All water/sewer use 76,000 gallons and more was charged at a rate of \$3.45/thousand. The rates increased (the first time in nearly 3 years) for the November 2018 billing as follows: \$36.78 for zero to 5,000 gallons used. This rate is the same for the sewer charges. The charge for 6,000 to 75,000 gallons is an additional \$5.69/thousand for both water and sewer rates. All water/sewer use 76,000 gallons and more was charged at a rate of \$3.97/thousand. Rates were increased to repay a \$3,000,000 interest free loan the Village received for improvements at the Wastewater Treatment Plant as required by the New York State Department of Environmental Conservation.

## ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As the State regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include: microbiological contaminants, radioactive contaminants, inorganic compounds, nitrate, nitrite, lead and copper, volatile organic compounds, synthetic organic compounds, trihalomethanes, haloacetic acids, and disinfection by-products. The table presented below depicts which compounds were detected in your drinking water. The State allows us to test for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA’s Safe Drinking Water Hotline (800-426-4791) or the Niagara County Health Department at (716) 439-7430

**Table 1: Table of Detected Contaminants**

Contaminant	Violation Yes/No	Date of Sample	Level Detected (Avg/Max) (Range)	Unit Measure -ment	MCLG	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
<b>Inorganic Contaminants</b>							
Barium	No	2/18	0.023	mg/L	2.00	MCL=2.00	Discharge of drilling wastes and from metal refineries; Erosion of natural deposits
Copper <sup>1</sup> (in distribution system)	No	6/17-9/17	0.136 (0.01-0.2)	mg/L	1.3	AL=1.3	Corrosion of galvanized pipes; Erosion of natural deposits
Fluoride	No	1/18-12/18	0.68 (0.6 - 0.8)	mg/L	N/A	MCL=2.2	Erosion of natural deposits; Water additive that promotes strong teeth
Lead <sup>1</sup> (in distribution system)	No	6/17-9/17	6.6 (<1.0-12.3)	µg/L	0	AL=15	Corrosion of household plumbing; Erosion of natural deposits
Total Organic Carbon	No	1/18 - 12/18	2.09 (1.66 – 2.59)	mg/L	NA	TT	Naturally present in the Environment.
Sodium	No	2/18	9.96	mg/L	N/A	AL=20	Erosion of natural deposits. Use of road salt, discharges from water softeners.
Entry Point Chlorine Residual	No	1/18-12/18	1.15 (0.90-1.35)	mg/L	MRDL 4.0	MRDLG 4.0	Added for disinfection
Entry Point <sup>2</sup> Turbidity	No	1/18-12/18	0.02 (0.01-0.18)	NTU	N/A	0.3 NTU	Soil runoff

Entry Point <sup>2</sup> Turbidity	No	1/18-12/18	100% of samples less than 0.3 NTU	NTU	N/A	TT=95% of samples < 0.3 NTU	Soil runoff
<b>Radioactive Contaminants</b>							
Gross Alpha Particles	No	3/14	0.00	pCi/L	N/A	MCL=15	Erosion of natural deposits of certain radioactive materials
Radium 226 and 228 combined	No	3/14	0.428	pCi/L	N/A	MCL=5	Decay of natural and manmade deposits of certain radioactive materials
Uranium	No	3/14	0.036	µg/L	N/A	MCL=30	Erosion of natural deposits
<p><sup>1</sup>During 2017 the Niagara County Water District collected and analyzed 50 samples for lead and copper. The level presented represents the 90th percentile of the 50 sites tested. The 90th percentile is equal to or greater than 90% of the lead or copper values detected at your water system. The analysis showed concentrations below action levels for all 50 copper samples.</p> <p><sup>2</sup>Turbidity is a measure of the cloudiness of the water. We test it because it is a good indicator of the effectiveness of our filtration system. NCWD's highest single turbidity measurement for the year was 0.05 NTU. State regulations require that turbidity must always be below 1 NTU leaving the Water Plant and 5 NTU in the distribution system. The regulations require that 95% of the turbidity samples collected have measurements below 0.3 NTU. All samples collected in 2018 were below the treatment technique level.</p>							

## VILLAGE OF MIDDLEPORT

Village of Middleport has not exceeded the MCL for total coliform during the 2018 reporting period.

Contaminant	Violation Yes/No	Date of Sample	Level Detected (Avg.) (Range)	Unit of Measurement	MCLG	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
<b>Microbiological Contaminants<sup>1</sup></b>							
Turbidity	No	1/18 - 12/18	0.09 (0.02 – 0.89)	NTU	N/A	TT= <5NTU	Soil Runoff
Total Coliform	No	1/18 - 12/18	0 positive samples	N/A	0	MCL= 2 or more positive samples	Naturally present in the environment
Chlorine Residual	No	1/18 - 12/18	0.53 (0.03 – 1.13)	mg/l	MRDL 4.0	MRDLG 4.0	Added for disinfection.
<b>Disinfection Byproducts<sup>2</sup></b>							
Total Trihalomethanes	No	1/18 – 12/18	57 (43 – 80)	µg/l	N/A	MCL=80	By-product of drinking water chlorination
Total Haloacetic Acids	No	1/18 – 12/18	28 (19 – 30)	µg/l	N/A	MCL=60	By-product of drinking water chlorination
<p><sup>1</sup>Turbidity is a measure of the cloudiness of the water. We test it because it is a good indicator of the effectiveness of our filtration system. State regulations require that average monthly turbidity must always be below 1 NTU leaving the Water Plant and 5 NTU in the distribution system.</p> <p><sup>2</sup>Results for Total Trihalomethanes (TTHMs) and Total Haloacetic Acids (HAA5s) are reported as the highest locational running annual average. The range of detection is shown below the average</p>							

### Definitions:

**Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

**Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

**Action Level (AL):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water.

**Non-Detects (ND):** Laboratory analysis indicates that the constituent is not present.

**NE:** Not Established

**NR:** Not Regulated

**Nephelometric Turbidity Unit (NTU):** A measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

**Milligrams per liter (mg/l):** Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l): Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Picocuries per liter (pCi/L): A measure of the radioactivity in water.

## **WHAT DOES THIS INFORMATION MEAN?**

As you can see by the table, our system had no violations. We are proud that your drinking water meets or exceeds all federal and state requirements. We have learned through our testing that some contaminants have been detected; however, these contaminants were detected below the level allowed by New York State. It should be noted that the action level for lead was not exceeded in the 50 samples collected in 2017. However, we provide the following information on lead in drinking water for those concerned:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. The Niagara County Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at <http://www.epa.gov/safewater/lead>.

## **IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?**

During 2018, our system was in compliance with applicable State drinking water operating, monitoring and reporting requirements.

## **DO I NEED TO TAKE SPECIAL PRECAUTIONS?**

Although our drinking water met or exceeded state and federal regulations, some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

## **INFORMATION ON FLUORIDE ADDITION**

Our system is one of the many drinking water systems in New York State that provides drinking water with a controlled, low level of fluoride for consumer dental health protection. According to the United States Centers for Disease Control, fluoride is very effective in preventing cavities when present in drinking water at a properly controlled level. To ensure that the fluoride supplement in your water provides optimal dental protection, NCWD monitor fluoride levels on a daily basis to make sure fluoride is maintained at a target level of 0.7 mg/l. During 2018 monitoring showed that fluoride levels in your water were within 0.1 mg/l of the target level for 100% of the time. None of the monitoring results showed fluoride at levels that approach the 2.2 mg/l MCL for fluoride.

## **WHY SAVE WATER AND HOW TO AVOID WASTING IT?**

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- ◆ Saving water saves energy and some of the costs associated with both of these necessities of life;
- ◆ Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- ◆ Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential firefighting needs are met.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.

- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.

## **INSTRUCTIONS ON READING A WATER METER AND USING THE METER TO DETECT A POSSIBLE LEAK**

Your water meter has a set of dials, similar to the odometer of a car, that rotate as water passes through the meter, whether used or lost. Most water meters are located in the basement. Simply read the numbers to know how many gallons of water you have used since the last reading. This number represents a starting point. The meter reading you write down should be more than the reading that printed on your water bill if you start keeping track after you receive your bill. At the end of the day, week or month, read the meter again. Subtract new reading from the previous reading to find out how many gallons passed through the meter. The meter reading that appears on the water bill is read and billed in thousands of gallons only.

The meter features include a sweep hand and the numbers 0-9 arranged clockwise around the face, as shown in the illustration. The "zero" that is painted on the face does not move. Each number on the clock face represents a single gallon. One revolution of the sweep hand represents ten gallons of water used and the first moving number will increase by one. The small red triangle (or other small red shape) on the meter is a leak indicator. To determine a leak, turn off all water. If the triangle is moving, water is going through the meter, which indicates that a leak is possible.

Customers are encouraged to monitor their meter readings on a regular basis. To determine if there is a possible leak, write down the meter readings before going to bed at night or before leaving for a day. Include all the numbers on the "odometer" and draw a picture of the sweep hand location showing the single gallons. Do not run a dishwasher, laundry or sprinkler line, or flush a toilet during the night. Write down the new reading the next morning and subtract the prior reading. You can also do this by reading the meter before everyone leaves for the day and then reading it again when you get home again, making sure no one uses water before you read the meter. If there has been any change it is probably due to a leak, most likely the toilet.

Toilet leaks usually run undetected for quite some time before a homeowner hears or sees the water entering or leaving the toilet bowl. Put some food coloring or testing tablets in the tank and then wait to see if any color appears in the bowl. If it does, the flapper valve needs to be replaced.

According to the American Water Works Association, a leaking toilet can waste as much as 200 gallons per day. That's 36,500 gallons over a six-month period.

## **CLOSING**

Thank you for allowing us to continue to provide your family with quality drinking water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. The costs of these improvements may be reflected in the rate structure. Rate adjustments may be necessary in order to address these improvements. We ask that all our customers help us protect our water sources, which are the heart of our community. Please call our office if you have questions.